

Leistungserklärungen

Übersicht 2 fach



wesentliche Merkmale	Aufbau		Gas	Feuerwiderstand	Brandverhalten	External fire performance	Durchschusshemmung	Sprengwirkungshemmung	Einbruchhemmung	Pendelschlagwiderstand	Beständigkeit gegen plötzlichen Temperaturwechsel und -unterschiede (K)	Widerstand gegen Schneelast und sonstige Lasten	Luftschalldämmung (dB)	Ug-Wert (W/m²K)	Lichttransmission (%)	Lichtreflexion (%)	Energie-Transmission (%)	Energie-reflexion (%)	g-Wert (%)
	innen	SZ R ausßen																	
Neutralux advance //	advance 4	6 Float 4	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-6-4	NPD	2,0	80	12	55	29	62
Neutralux advance //	advance 4	8 Float 4	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-8-4	NPD	1,7	80	12	55	29	62
Neutralux advance //	advance 4	10 Float 4	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-10-4	NPD	1,4	80	12	55	29	63
Neutralux advance //	advance 4	12 Float 4	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-12-4	NPD	1,3	80	12	55	29	63
Neutralux advance //	advance 4	14 Float 4	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-14-4	NPD	1,1	80	12	55	29	63
Neutralux advance //	advance 4	15 Float 4	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-15-4	NPD	1,1	80	12	55	29	63
Neutralux advance //	advance 4	16 Float 4	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-16-4	NPD	1,1	80	12	55	29	63
Neutralux advance //	advance 4	18 Float 4	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-18-4	NPD	1,1	80	12	55	29	63
Neutralux advance //	advance 4	20 Float 4	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-20-4	NPD	1,1	80	12	55	29	63
Neutralux advance //	advance 4	24 Float 4	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-24-4	NPD	1,1	80	12	55	29	63
Neutralux advance //	advance 4	6 Float 5	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-6-5	NPD	2,0	80	12	54	28	61
Neutralux advance //	advance 4	8 Float 5	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-8-5	NPD	1,7	80	12	54	28	62
Neutralux advance //	advance 4	10 Float 5	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-10-5	NPD	1,4	80	12	54	28	62
Neutralux advance //	advance 4	12 Float 5	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-12-5	NPD	1,3	80	12	54	28	62
Neutralux advance //	advance 4	14 Float 5	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-14-5	NPD	1,1	80	12	54	28	62
Neutralux advance //	advance 4	15 Float 5	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-15-5	NPD	1,1	80	12	54	28	62
Neutralux advance //	advance 4	16 Float 5	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-16-5	NPD	1,1	80	12	54	28	62
Neutralux advance //	advance 4	18 Float 5	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-18-5	NPD	1,1	80	12	54	28	62
Neutralux advance //	advance 4	20 Float 5	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-20-5	NPD	1,1	80	12	54	28	62
Neutralux advance //	advance 4	24 Float 5	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-24-5	NPD	1,1	80	12	54	28	62
Neutralux advance //	advance 4	6 Float 6	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-6-6	NPD	2,0	80	12	53	27	61
Neutralux advance //	advance 4	8 Float 6	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-8-6	NPD	1,7	80	12	53	27	61
Neutralux advance //	advance 4	10 Float 6	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-10-6	NPD	1,4	80	12	53	27	61
Neutralux advance //	advance 4	12 Float 6	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-12-6	NPD	1,3	80	12	53	27	62
Neutralux advance //	advance 4	14 Float 6	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-14-6	NPD	1,1	80	12	53	27	62
Neutralux advance //	advance 4	15 Float 6	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-15-6	36	1,1	80	12	53	27	62
Neutralux advance //	advance 4	16 Float 6	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-16-6	36	1,1	80	12	53	27	62
Neutralux advance //	advance 4	18 Float 6	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-18-6	NPD	1,1	80	12	53	27	62
Neutralux advance //	advance 4	20 Float 6	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-20-6	NPD	1,1	80	12	53	27	62
Neutralux advance //	advance 4	24 Float 6	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-24-6	NPD	1,1	80	12	53	27	62
Neutralux advance //	advance 4	6 Float 8	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-6-8	NPD	2,0	79	12	53	26	60
Neutralux advance //	advance 4	8 Float 8	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-8-8	NPD	1,7	79	12	53	26	60
Neutralux advance //	advance 4	10 Float 8	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-10-8	NPD	1,4	79	12	53	26	60
Neutralux advance //	advance 4	12 Float 8	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-12-8	35	1,3	79	12	53	26	61
Neutralux advance //	advance 4	14 Float 8	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-14-8	NPD	1,1	79	12	53	26	61
Akustex advance // 27.37	advance 4	15 Float 8	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-15-8	37	1,1	79	12	53	26	61
Akustex advance // 28.37	advance 4	16 Float 8	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-16-8	37	1,1	79	12	53	26	61
Neutralux advance //	advance 4	18 Float 8	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-18-8	NPD	1,1	79	12	53	26	61
Akustex advance // 32.37	advance 4	20 Float 8	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-20-8	37	1,1	79	12	53	26	61
Neutralux advance //	advance 4	24 Float 8	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-24-8	NPD	1,1	79	12	53	26	61
Neutralux advance //	advance 4	6 Float 10	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-6-10	NPD	2,0	79	12	51	24	59
Neutralux advance //	advance 4	8 Float 10	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-8-10	NPD	1,7	79	12	51	24	59
Neutralux advance //	advance 4	10 Float 10	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-10-10	NPD	1,4	79	12	51	24	59
Neutralux advance //	advance 4	12 Float 10	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-12-10	NPD	1,3	79	12	51	24	59
Neutralux advance //	advance 4	14 Float 10	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-14-10	NPD	1,1	79	12	51	24	59
Akustex advance // 29.38	advance 4	15 Float 10	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-15-10	38	1,1	79	12	51	24	59
Akustex advance // 30.39	advance 4	16 Float 10	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-16-10	39	1,1	79	12	51	24	59
Neutralux advance //	advance 4	18 Float 10	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-18-10	NPD	1,1	79	12	51	24	59
Akustex advance // 34.39	advance 4	20 Float 10	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-20-10	39	1,1	79	12	51	24	59
Neutralux advance //	advance 4	24 Float 10	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-24-10	NPD	1,1	79	12	51	24	59
Neutralux advance //	advance 4	6 Float 12	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-6-12	NPD	2,0	78	12	51	23	58
Neutralux advance //	advance 4	8 Float 12	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-8-12	NPD	1,7	78	12	51	23	58
Neutralux advance //	advance 4	10 Float 12	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-10-12	NPD	1,4	78	12	51	23	58
Neutralux advance //	advance 4	12 Float 12	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-12-12	NPD	1,3	78	12	51	23	58
Neutralux advance //	advance 4	14 Float 12	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-14-12	NPD	1,1	78	12	51	23	58
Akustex advance // 31.40	advance 4	15 Float 12	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-15-12	40	1,1	78	12	51	23	58
Neutralux advance //	advance 4	16 Float 12	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-16-12	NPD	1,1	78	12	51	23	58

Leistungserklärungen

Übersicht 2 fach



Neutralux advance //	advance 4	18 Float 12	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-18-12	NPD	1,1	78	12	51	23	58
Neutralux advance //	advance 4	20 Float 12	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-20-12	NPD	1,1	78	12	51	23	58
Neutralux advance //	advance 4	24 Float 12	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-24-12	NPD	1,1	78	12	51	23	58
Neutralux advance //	advance 4	6 VSG 6 0,38	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-6-v6.1	NPD	2,0	79	12	51	24	59
Neutralux advance //	advance 4	8 VSG 6 0,38	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-8-v6.1	NPD	1,7	79	12	51	24	59
Neutralux advance //	advance 4	10 VSG 6 0,38	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-10-v6.1	NPD	1,4	79	12	51	24	59
Neutralux advance //	advance 4	12 VSG 6 0,38	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-12-v6.1	NPD	1,3	79	12	51	24	59
Neutralux advance //	advance 4	14 VSG 6 0,38	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-14-v6.1	NPD	1,1	79	12	51	24	59
Neutralux advance //	advance 4	15 VSG 6 0,38	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-15-v6.1	NPD	1,1	79	12	51	24	59
Neutralux advance //	advance 4	16 VSG 6 0,38	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-16-v6.1	NPD	1,1	79	12	51	24	59
Neutralux advance //	advance 4	18 VSG 6 0,38	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-18-v6.1	NPD	1,1	79	12	51	24	59
Neutralux advance //	advance 4	20 VSG 6 0,38	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-20-v6.1	NPD	1,1	79	12	51	24	59
Neutralux advance //	advance 4	24 VSG 6 0,38	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-24-v6.1	NPD	1,1	79	12	51	24	59
Neutralux advance //	advance 4	6 VSG 8 0,38	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-6-v8.1	NPD	2,0	79	12	51	23	58
Neutralux advance //	advance 4	8 VSG 8 0,38	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-8-v8.1	NPD	1,7	79	12	51	23	58
Neutralux advance //	advance 4	10 VSG 8 0,38	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-10-v8.1	NPD	1,4	79	12	51	23	58
Neutralux advance //	advance 4	12 VSG 8 0,38	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-12-v8.1	NPD	1,3	79	12	51	23	58
Neutralux advance //	advance 4	14 VSG 8 0,38	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-14-v8.1	NPD	1,1	79	12	51	23	58
Neutralux advance //	advance 4	15 VSG 8 0,38	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-15-v8.1	NPD	1,1	79	12	51	23	58
Neutralux advance //	advance 4	16 VSG 8 0,38	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-16-v8.1	NPD	1,1	79	12	51	23	58
Neutralux advance //	advance 4	18 VSG 8 0,38	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-18-v8.1	NPD	1,1	79	12	51	23	58
Neutralux advance //	advance 4	20 VSG 8 0,38	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-20-v8.1	NPD	1,1	79	12	51	23	58
Neutralux advance //	advance 4	24 VSG 8 0,38	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-24-v8.1	NPD	1,1	79	12	51	23	58
Neutralux advance duo //	advance 4	16 advance 4	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-16-4a	NPD	1,0	78	9	47	30	53
Neutralux advance duo //	advance 4	16 advance 6	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-16-6a	NPD	1,0	77	9	46	28	53
Neutralux advance duo //	advance 4	16 MP P4a advance	Argon	NPD	NPD	NPD	NPD	NPD	P4A	NPD	4a-16-p4aa	NPD	1,0	77	9	43	22	49
Neutralux advance duo// Kr	advance 4	10 advance 4	Krypton	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-10-4a	NPD	0,9	78	9	47	30	53
Neutralux advance // Kr	advance 4	10 Float 4	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-10-4	NPD	1,0	80	12	55	29	63
Akustex advance // 24.37 Kr	advance 4	14 Float 6	Krypton	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-14-6	37	1,0	80	12	53	27	62
Akustex advance // 24.37 Kr	advance 4	12 Float 8	Krypton	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-12-8	37	1,0	79	12	53	26	61
Akustex advance // 28.38 Kr	advance 4	16 Float 8	Krypton	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-16-8	38	1,0	79	12	53	26	61
Akustex advance // AF 25.39	advance 4	12 VSG 8 0,76 SI	Krypton	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-12-v8.2s	39	1,0	79	12	50	22	57
Akustex advance // 29.39 P4a	advance 4	15 MP P4A	Argon	NPD	NPD	NPD	NPD	NPD	P4A	NPD	4a-15-P4a	39	1,1	79	12	49	21	56
Neutralux advance //	advance 4	15 MP P5A	Argon	NPD	NPD	NPD	NPD	NPD	P5A	NPD	4a-15-P5a	NPD	1,1	79	12	48	21	56
Akustex advance // AF 28.39	advance 4	16 VSG 8 0,38 SI	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-16-v8.1s	39	1,1	79	12	51	23	58
Akustex advance // 29.38	advance 4	16 VSG 8 0,76	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-16-v8.2	38	1,1	79	12	50	22	57
Akustex advance // AF 29.39	advance 4	16 VSG 8 0,76 SI	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-16-v8.2s	39	1,1	79	12	50	22	57
Neutralux advance //	advance 4	16 MP P2A	Argon	NPD	NPD	NPD	NPD	NPD	P2A	NPD	4a-16-p2a	NPD	1,1	79	12	50	22	57
Neutralux advance //	advance 4	16 MP P5A	Argon	NPD	NPD	NPD	NPD	NPD	P5A	NPD	4a-16-p5a	NPD	1,1	79	12	48	21	56
Neutralux advance //	advance 4	16 MP P4A	Argon	NPD	NPD	NPD	NPD	NPD	P4A	NPD	4a-16-p4a	NPD	1,1	79	12	49	21	56
Solarlux scandic // 53.27	Float 4	16 scandic 6 53.27	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4a-16-6 53.27	36	1,0	53	17	33	34	27
Solarlux polaris // 65.36	Float 4	16 polaris 6 65.36	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4-16-6 65.36	36	1,1	65	12	33	29	36
Solarlux nordic // 70.37	Float 4	16 nordic 6 70.37	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4-16-6 70.37	36	1,0	70	14	35	35	37
Solarlux platin // 71.42	Float 4	16 platin 6 71.42	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4-16-6 71.72	36	1,1	71	11	39	29	42
Solarlux crystal // 60.32	Float 4	16 crystal 8 60.32	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	4-16-8 60.32	37	1,0	60	16	29	34	32
Neutralux advance //	advance 6	6 Float 4	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	6a-6-4	NPD	2,0	80	12	53	29	62
Neutralux advance //	advance 6	8 Float 4	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	6a-8-4	NPD	1,7	80	12	53	29	62
Neutralux advance //	advance 6	10 Float 4	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	6a-10-4	NPD	1,4	80	12	53	29	62
Neutralux advance //	advance 6	12 Float 4	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	6a-12-4	NPD	1,3	80	12	53	29	63
Neutralux advance //	advance 6	14 Float 4	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	6a-14-4	NPD	1,1	80	12	53	29	63
Akustex advance // 25.36	advance 6	15 Float 4	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	6a-15-4	36	1,1	80	12	53	29	63
Akustex advance // 25.36	advance 6	16 Float 4	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	6a-16-4	36	1,1	80	12	53	29	63
Neutralux advance //	advance 6	18 Float 4	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	6a-18-4	NPD	1,1	80	12	53	29	63
Neutralux advance //	advance 6	20 Float 4	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	6a-20-4	NPD	1,1	80	12	53	29	63
Neutralux advance //	advance 6	24 Float 4	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	6a-24-4	NPD	1,1	80	12	53	29	63
Neutralux advance //	advance 6	6 Float 5	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	6a-6-5	NPD	2,0	79	12	53	28	61
Neutralux advance //	advance 6	8 Float 5	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	6a-8-5	NPD	1,7	79	12	53	28	62
Neutralux advance //	advance 6	10 Float 5	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	6a-10-5	NPD	1,4	79	12	53	28	62
Neutralux advance //	advance 6	12 Float 5	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	6a-12-5	NPD	1,3	79	12	53	28	62
Neutralux advance //	advance 6	14 Float 5	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	6a-14-5	NPD	1,1	79	12	53	28	62
Neutralux advance //	advance 6	15 Float 5	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	6a-15-5	NPD	1,1	79	12	53	28	62
Neutralux advance //	advance 6	16 Float 5	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	6a-16-5	NPD	1,1	79	12	53	28	62
Neutralux advance //	advance 6	18 Float 5	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	6a-18-5	NPD	1,1	79	12	53	28	62
Akustex advance // 31.37	advance 6	20 Float 5	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	6a-20-5	37	1,1	79	12	53	28	62
Neutralux advance //	advance 6	24 Float 5	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	6a-24-5	NPD	1,1	79	12	53	28	62

Leistungserklärungen

Übersicht 2 fach



Neutralux advance // advance 8	18 VSG 8 0,38	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	8a-18-v8.1	NPD	1,1	78	12	49	23	58
Neutralux advance // advance 8	20 VSG 8 0,38	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	8a-20-v8.1	NPD	1,1	78	12	49	23	58
Neutralux advance // advance 8	24 VSG 8 0,38	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	8a-24-v8.1	NPD	1,1	78	12	49	23	58
Neutralux advance // Float 8	12 VSG 12 0,76 advance	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	8-12-v12.2a	NPD	1,3	77	12	47	19	51
Neutralux advance // Float 8	15 VSG 8 0,76 advance	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	8-15-v8.2a	NPD	1,1	78	12	49	22	53
Neutralux advance // Float 8	15 VSG 10 0,76 advance	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	8-15-v10.2a	NPD	1,1	77	12	48	20	52
Akustex advance // AF 33.42 advance 8	16 VSG 8 0,76 SI	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	8a-16-v8.2s	42	1,1	78	12	48	22	57
Akustex advance // AF 35.43 advance 8	16 VSG 10 0,76 SI	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	8a-16-v10.2s	43	1,1	78	12	47	21	56
Akustex advance // 37.41 advance 8	16 VSG 12 0,76	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	8a-16-v12.2	41	1,1	77	12	47	20	55
Akustex advance // AF 37.43 advance 8	16 VSG 12 0,76 SI	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	8a-16-v12.2s	43	1,1	77	12	47	20	55
Solarlux nordic // 70.37 Float 8	16 VSG 12 0,76 nordic 70.37	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	8-16-v12.2 70.37	NPD	1,0	68	14	32	24	35
Solarlux crystal // 60.32 Float 8	16 VSG 12 0,76 crystal 60.32	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	8-16-v12.2 60.32	NPD	1,0	58	15	27	26	30
Akustex advance // AF 36.44 advance 8	20 VSG 8 0,76 SI	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	8a-20-v8.2s	44	1,1	78	12	48	22	57
Akustex advance // AF 40.45 advance 8	24 VSG 8 0,76 SI	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	8a-24-v8.2s	45	1,1	78	12	48	22	57
Akustex advance // AF 33.45 VSG 8 0,76 SI advanc	12 VSG 12 0,76	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	v8.2sa-12-v12.2	45	1,3	78	12	46	20	55
Akustex advance // AF 30.40 VSG 8 0,76 SI advanc	16 Float 5	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	v8.2sa-16-5	40	1,1	79	12	50	28	62
Akustex advance // AF 34.45 VSG 8 0,76 SI advanc	16 Float 10	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	v8.2sa-16-10	45	1,1	78	12	47	23	59
Akustex advance // AF 37.43 VSG 8 0,76 advance	16 VSG 12 0,76	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	v8.2a-16-v12.2	43	1,1	78	12	46	20	55
Akustex advance // AF 37.46 VSG 8 0,76 SI advanc	16 VSG 12 0,76	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	v8.2sa-16-v12.2	46	1,1	78	12	46	20	55
Akustex advance // AF 38.47 VSG 8 0,76 SI advanc	16 VSG 12 0,76 SI	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	v8.2sa-16-v12.2s	47	1,1	78	12	46	20	55
Akustex advance // AF 42.49 VSG 8 0,76 SI advanc	20 VSG 12 0,76 SI	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	v8.2sa-20-v12.2s	49	1,1	78	12	46	20	55
Akustex advance // AF 46.50 VSG 8 0,76 SI advanc	20 VSG 16 0,76 SI	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	v8.2sa-20-v16.2s	50	1,1	77	12	45	18	54
Akustex advance // AF 45.50 VSG 8 0,76 SI advanc	24 VSG 12 0,76 SI	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	v8.2sa-24-v12.2s	50	1,1	78	12	46	20	55
Akustex advance // AF 46.51 VSG 8 0,76 SI advanc	24 VSG 14 0,76 SI	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	v8.2sa-24-v14.2s	51	1,1	77	12	46	19	55
Akustex advance // AF 34.45 advance 10	16 VSG 8 0,76 SI	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	10a-16-v8.2s	45	1,1	78	12	47	22	57
Solarlux nordic // 70.37 VSG 10 0,76	16 nordic 8 70.37	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	v10.2-16-8 70.37	NPD	1,0	68	14	32	32	36
Akustex advance // AF 37.44 advance 10	16 VSG 10 0,76 SI	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	10a-16-v10.2s	44	1,1	77	12	46	21	56
Akustex advance // AF 39.45 advance 10	16 VSG 12 1,14 SI	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	10a-16-v12.3s	45	1,1	77	12	45	19	55
Akustex advance // AF 40.46 advance 10	20 VSG 10 0,76 SI	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	10a-20-v10.2s	46	1,1	77	12	46	21	56
Akustex advance // AF 43.47 advance 10	20 VSG 12 0,76 SI	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	10a-20-v12.2s	47	1,1	77	12	46	20	55
Akustex advance // AF 42.47 advance 10	24 VSG 8 0,76 SI	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	10a-24-v8.2s	47	1,1	78	12	47	22	57
Akustex advance // AF 42.49 VSG 12 0,76 SI advar	16 VSG 12 0,76 SI	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	v12.2sa-16-v12.2s	49	1,1	77	12	45	19	55
Akustex advance // AF 46.51 VSG 12 0,76 SI advar	16 VSG 16 0,76 SI	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	v12.2sa-16-v16.2s	51	1,1	76	12	44	18	54
Akustex advance // AF 60.54 VSG 12 0,76 SI advar	16 VSG 18 0,76 SI	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	v12.2sa-16-v18.2s	54	1,2	76	12	43	17	53
Solarlux nordic // 70.37 VSG 12 0,76	16 nordic 8 70.37	Argon	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	NPD	v12.2-16-8 70.37	NPD	1,0	68	14	32	32	36